

10/525494

co/c



Docket No. : SON-3232/PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent No. 7,190,216

Confirmation No. 7476

Inventor: Kazuyuki SAIJO et al.

Patented: March 13, 2007

For: DEMODULATION CIRCUIT AND RECEIVING SET

REQUEST FOR CERTIFICATE OF CORRECTION

MS: CERTIFICATE OF CORRECTION

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

Certificate
JUL 27 2007
of Correction

Sir:

It is respectfully requested that a Certificate of Correction be issued in connection with the above-identified patent. It appears that mistakes were recorded through the fault of the Patent and Trademark Office in the printing of the patent as clearly disclosed by the records of the Office within the meaning of 35 USC § 254. Accordingly, two copies of the special Certificate of Correction are attached hereto. It is believed that the errors noted are errors of consequence involving claim language and thus warrant the granting of a Certificate of Correction.

Should any costs be incurred, please consider this authorization to charge Deposit Account No. 18-0013.

Respectfully submitted,

Dated: July 25, 2007

Ronald P. Kananen, Reg. No. 24,104

RADER, FISHMAN & GRAUER PLLC
Suite 501, Lion Building
1233 20th Street, N.W.
Washington, D.C. 20036
(202) 955-3750

JUL 31 2007

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,190,216

DATED : March 13, 2007

INVENTOR(S): Kazuyuki SAIJO et al

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 22, Line 65:

“ ‘1/(m+0.75)’ 0” should read -- “1/(m+0.75)” --.

Column 24, Line 24:

“ ‘1/(m+0.75)’ 0” should read -- “1/(m+0.75)” --.

MAILING ADDRESS OF SENDER:

Customer No. 23353
Rader, Fishman & Grauer PLLC
1233 20th Street, NW
Suite 501
Washington, DC 20036

PATENT NO. 7,190,216

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,190,216

DATED : March 13, 2007

INVENTOR(S): Kazuyuki SAIJO et al

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 22, Line 65:

“ ‘ $1/(m+0.75)$ ’ 0” should read -- “ $1/(m+0.75)$ ” --.

Column 24, Line 24:

“ ‘ $1/(m+0.75)$ ’ 0” should read -- “ $1/(m+0.75)$ ” --.

MAILING ADDRESS OF SENDER:

Customer No. 23353
Rader, Fishman & Grauer PLLC
1233 20th Street, NW
Suite 501
Washington, DC 20036

PATENT NO. 7,190,216

JUL 31 2007